

CREATED TO IMPROVE COMMUNICATION





Impressive quality



4K UHD resolution
Eye-care mode
Anti-reflective surface treatment
Anti-Finger print and Antimicrobial coating
Zero gap technology



Fast and powerful




Android 14 16G + 256 G 8 Cores CPU Type-C 65 W (data + charge) 400 nits 2 x 20 W speakers



Split screen up to four parts side by side

allows up to four people to work on their own content independently









Hotkeys on the screen sides


for instant annotation functionality

fast and easy to choose different colors and actions



Start annotation instantly by lifting stylus from magnetic holder

just lift your stylus and you are ready to annotate





Download apps from the Play Store

Your favorite apps are just a click away



V

EDLA Certification

compatibility and optimal performance with Google applications and services



V

Wireless connection using E Share

connect and share content from your mobile devices and computers wirelessly





Ambient light sensor

save electricity based on room brightness conditions





Multitasking

operate in more apps simultaneously



Interactive display technical specification

Display	Model no.	SL-M06503	SL-M07503	SL-M08603
	Bonding	Zero-gap		
	Size	65 inch	75 inch	86 inch
	Brightness	400 nits		
	Resolution	3840 x 2160		
	Refresh Rate	60HZ		
	Glass	4mm, Anti Glare, tempered, Mohs 7 (Pencil hardness 9H)		
	Side bar	Yes, both sides		
	Ambient light sensor	Support		
	Lifetime	≥50,000h		
Android	RAM	16G DDR4		
	ROM	256G		
	Android version	14 EDLA Certification		
Touch	Touch / Writing points	40 points / 20 points		
Connectivity	Touch-USB	2		
	HDMI (2.0)	3		
	Type-C	1 (Multimedia, 65W) + 1 (15W)		
	USB (3.0)	5		
	OPS	1		
WIFI & BT	WIFI & Bluetooth	WIFI6 + BT5.2		
Speakers	Speakers	20W x 2		
Warranty	Warranty	36 months		
Certification	Certification	CE / EMC / LVD / I	CE / EMC / LVD / RED / RoHS / Energy Star	





JANC15

CREATED TO IMPROVE COMMUNICATION



+371 67461400 20 Liliju Str., Mārupe, LV-2167, LATVIA www.sensuslab.lv